A PHP Error was encountered

Severity: Warning

Message: file_get_contents(/home/nic/BSI/assets/images/logo-bottom.png): Failed to open stream: No such file or directory

Filename: dompdf/ecoHerbarium.php

Line Number: 29

Backtrace:

File: /var/www/html/Archive/application/views/dompdf/ecoHerbarium.php
Line: 29
Function: file_get_contents

File: /var/www/html/Archive/application/libraries/Mypdf.php
Line: 23
Function: view

File: /var/www/html/Archive/application/controllers/Pdfcontroller.php
Line: 39
Function: generate

File: /var/www/html/Archive/index.php
Line: 342
Function: require_once

Image not found or type unknown

Botanical Survey of India

Ministry of Environment, Forest and Climate Change
Government of India

A PHP Error was encountered

Severity: Warning

Message: file_get_contents(/home/nic/BSI/uploads/documents/EconomicHerbarium/english/ImgCAL0000009392L.jpg): Failed to open stream: No such file or directory

Filename: dompdf/ecoHerbarium.php

Line Number: 49


Backtrace:

File: /var/www/html/Archive/application/views/dompdf/ecoHerbarium.php
Line: 49
Function: file_get_contents

File: /var/www/html/Archive/application/libraries/Mypdf.php
Line: 23
Function: view

File: /var/www/html/Archive/application/controllers/Pdfcontroller.php
Line: 39
Function: generate

File: /var/www/html/Archive/index.php
Line: 342
Function: require_once



© 2021 Content Owned, Updated and Maintained by Botanical Survey of India
Government of India
Site designed and hosted by National Informatics Centre

Image Details of Economy Botany Herbarium

Barcode: CAL0000009392

Family: RUBIACEAE

Scientific Name: Xeromphis uliginosa (Retz.) Maheshw.

Collector: Anand Kumar

Country: India

Uses: They are emetic and used as a substitute for Ipecacuanha (Cephaelis ipecacuanha A. Rich.). In small doses, it is expectorant and diaphoretic. Bark is astringent .Bark is given in treatment of diarrhea and dysentery.Infusion is used as an emetic. Bark is a sedative and is used to relieve pains due to bruises, and bone-ache during fever. It is also given internally and used externally as an anodyne in treatment of rheumatism.

© 2021 Content Owned, Updated and Maintained by Botanical Survey of India
Government of India
Site designed and hosted by National Informatics Centre